



FIG. 1





3/16

FIG. 3

g% SUGARS	
fructose	0.00
glucose	0.00
DFA	0.00
saccharose	0.00
F2	0.00
GF2	0.00
F3	0.00
GF3	0.00
F4	0.00
GF4	0.13
F5	0.00
GF5	0.13
F6	0.00
GF6	0.16
F7	0.00
GF7	0.19
F8	0.00
GF8	0.31
F9	0.00
DP10	0.25
> DP10 *	98.84
Σ	100.00

$$GF8 = GF8 + F9$$

T00E20"425E4660




FIG. 4

FIG. 4




FIG. 5




FIG. 6

0004374.0001
FIG. 5
FIG. 6




FIG. 7




FIG. 8

FOOEEBO"42SE4660



FIG. 9





FIG.10

094374.02001
FOOEBO"42SE4660



- FIG 11




FIG. 12

filtercake

Rattiline Sr filtercake ^{filtercake} after washing filtrate + washwater

Hartline S.				
g/100g. sugar				
fructose	0.93	1.08	0.00	2.8
glucose	0.25	0.21	0.00	0.5
.DP2	0.00	0.00	0.00	0
Saccharose	5.63	2.81	0.03	8.2
F3	0.17	0.00	0.00	0.4
DP3	2.81	1.68	0.08	5.1
DP4	3.13	2.02	0.16	5.5
DP5+	87.09	92.21	99.73	77.5
FOS	93.2	95.91	99.7	88.5
DP	12.3	17.5	25.8	9.5
%DS	-	49.7%	41.9%	-
return	-	44%	35%	-
(yield)				

FIG. 13






FIG. 14

	Raw inulin	filtercake	filtercake after washing
fructose (g%g sugar)	0	0,26	0
glucose (g%g sugar)	0	0	0
other DP2 (g%g sugars	0	0	0
saccharose (g%g sugar)	7,87	3,06	0
F3 (g%g sugar)	0	0	0
DP3 (g%g sugar)	4,27	1,7	0
DP4 (g%g sugar)	5,09	2,15	0
DP5+ (g%g sugar)	82,8	92,8	100
FOS. g%g sugar)	92,1	96,7	100
DP	9,2	14,6	20
%DS	16,69	59,39	43,49
return (yield)	-	48,00%	33,00%
conductivity (ms)	10,1	4,9	0,126
ashcontent	6,06%	2,94%	0,08%



- FIG 16 -



- FIG 17 -

094374.03001
FOOEBO"425E4650



FIG. 18






FIG. 19

0943574.083004
PCT/BE95/00067

14/16

FIG. 20FIG. 21




FIG. 22




FIG. 23

Time (days)